APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office JUN 1 1 1981
Reti	urned to applicant for correction
Corr	rected application filed
Мар	filed
-	
	The applicant Southern Pacific Land Co.
••	One Market Plaza , of San Francisco City or Town
	CA 94105 hereby make application for permission to appropriate the public State and Zip Code No.
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
	; if a copartnership or association, give names of members.) inc. 2/1912 in Ca.
. 	
1.	The source of the proposed appropriation is underground Name of stream, lake or other source.
2.	The amount of water applied for is 2.5 cfs second-feet One second-foot equals 448.83 gals. per min.
	(a) If stored in reservoir give number of acre-feetacre-feet
3.	The water to be used for <u>Quasi Municipal & Domestic</u> Itrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4.	If use is for:
	(a) Irrigation (state number of acres to be irrigated)
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12. Remarks")
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream.
5:	The water is to be diverted from its source at the following point: NE' SW Sec 27 T.20N., R.22E.,
	M.D.B.&M. or at a point from which the W4 corner of said section 27 bears Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
	N 86 30 W 2015 it should be stated.
6.	Place of use NW-1 & N-2 SW-1 Sec 27 T20N, R. 22E., M.D.B.&M. Describe by legal subdivision, if on unsurveyed land it should be so stated.
-	
7.	Use will begin about Jan 1 and end about Dec 31. , of each year. Month and Day Month and Day
8.	* * * *
	specifications of your diversion or storage works.) well, pump, storage tank & conduit
	System State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

10.	
	Estimated time required to construct works
11.	Estimated time required to complete the application to beneficial use 2 yrs.
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annua consumptive use.
	300 mobile units, service station, truck stop, motel, restaurant &
	tourist commercial related facilities
	Use map under 35487
	C. A. Dromiack By s/C. A. Dromiack Signature, applicant or agent
Con	pared ha/gk 565 Greenstone Dr.
	Reno, Nv. 89501
follo	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the swing limitations and conditions:
-	
- -	
	······································
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The Acti	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not Proc	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not Acti	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not Active Process Approximate Process App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed
The not Active Process Approximately Process	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed

State engineer